


NOTE: SEE S-502 FOR BASE PLATE AND ANCHOR BOLT DETAILS

2



- FOUNDATION PLAN NOTES:**
1. TYPICAL SLAB ON-GRAD: HATCH #4, 3000 PSI COMPRESSED REINFORCED W/ 6x6-W2, 9x12-9 WWR ON VAPOR RETARDER OVER 6" POLYSTYRENE FILL ON COMPACTED SUBGRADE/FILL. U.N.O.
2. HATCHED AREA DENOTES SLAB DEPRESSIONS. SEE ARCHITECTURAL DRAWINGS FOR EXTENTS VERIFY DEPRESSION DEPTH. C.B.
3. C.B. - INDICATES COLUMN MARK. SEE COLUMN SCHEDULE.
4. C.B. - INDICATES FOOTING MARK. SEE FOOTING SCHEDULE.
5. CB - INDICATES STEEL CROSS-BRACING.
6. CB - INDICATES STEEL COMPRESSION BRACING.
7. FINISH FLOOR ELEVATION - SEE ARCH. DRAWINGS.
8. TYPICAL TOP OF FOOTING DEPTH AT EXTERIOR IS 12'-0" BELOW FINISHED FLOOR & 1'-0" AT INTERIOR. U.N.O.
9. CONTROL JOINTS SHALL BE LOCATED AT EXTERIOR JOINTS (S-J) OR KEYED JOINTS (H-J) AS REQUIRED BY CONTRACTOR FOR PLACEMENT. DETAILS 15-S-01 RESPECTIVELY, BUT SHALL NOT BE LOCATED MORE THAN 15' APART AND SHALL HAVE AREAS LIMITED TO A MAXIMUM LENGTH-TO-WIDTH RATIO OF 1.5 OR LESS. U.N.O. & FOR SLABS, SAWCUT PER SPECIFICATIONS.
10. PROVIDE 15'-0" MINIMUM CLEARANCE FROM EXTERIOR MASONRY WALL JOINTS TO CONTROL JOINTS. SEE 15-S-04 FOR JOINT DETAIL.
11. PROVIDE COLUMN ISOLATION JOINTS AT EACH COLUMN PER 45-S-01.



NEW YORK	OKLAHOMA	NORTH CAROLINA
TEXAS	COLORADO	SOUTH CAROLINA

KSQ Design
1930 CAMDEN ROAD, SUITE 260
CHARLOTTE, NC 28203
704.364.3400 office
704.364.7080 fax
www.ksq.design

Owner
BRUNSWICK COUNTY SCHOOL
199 SESSIONS DRIVE
BOLIVIA, NC 28422
910.253.2900 office
www.bcswan.net

Civil Engineer
McGILL ASSOCIATES
712 VILLAGE ROAD SW, SUITE 1
SHALLOTTE, NC 28470
910.755.5872 office
www.mcgillengineer.com

Structural Engineer
CRISER TROUTMAN TANNER
3809 Peacetree Ave., Suite 102
WILMINGTON, NC 28403
910.397.2971 office
www.cttengineering.com


MEP Engineer
KSQ DESIGN
2115 REXFORD ROAD, SUITE 50
CHARLOTTE, NC 28211
704.364.3400 office
www.ksq.design

Electrical Consultant
Quality Consulting Engineers, PLLC
6277-600 Carolina Commons Drive
Indian Land SC 29707
(p) 803.207.5450 office
diones@qualityconsultingengineers.com

Acoustic & Technology Consultants
THORBURN ASSOCIATES
401 N. TYRON STREET, 10TH FL.
CHARLOTTE, NC 28202
510.886.7826 office
www.TA-inc.com


Building Envelope Consultant
SKA ENGINEERING
7741 MARKET STREET, SUITE F
WILMINGTON, NC 28411-9444
910.442.2000 office
www.skaeng.com

Food Service Consultant
HERBIN DESIGN
7325 DORN CIRCLE
CHARLOTTE, NC 28212-6914
704.900.0922
www.herbin.com



TOWN CREEK
MIDDLE
SCHOOL

6370 LAKE PARK DRIVE
SE
WINNABOW, NC 28479

[illegible]

ISSUED: CONSTRUCTION DOCUMENTS

DATE: 05/24/2018

SCALE: As indicated

SHEET NAME:
FOUNDATION PLAN -
AREA A

SHEET NUMBER:

S-101A