



SLOPED ROWLOCK SILL TYPICAL NOTES:
- PROVIDE THROUGH-WALL FLASHING DIRECTLY BELOW SLOPED ROWLOCK SILLS.
- MECHANICALLY FASTEN THROUGH-WALL FLASHING TO FACE OF WALL.
- AT CMU BACKUP, AND WHERE IT IS NOT PRACTICAL TO LAP WEATHER BARRIER OVER TOP OF THROUGH-WALL FLASHING, PROVIDE TERMINATION BAR & SEAL VERTICAL LEG OF THROUGH-WALL FLASHING ALONG TOP OF TERMINATION BAR.
- AT STUD BACKUP, LAP WEATHER BARRIER OVER VERTICAL LEG OF THROUGH-WALL FLASHING.
- WHERE SILLS ARE BELOW WINDOW OPENINGS WITH BRICK MASONRY JAMBS, PROVIDE FOLDED END DAMS AT JAMB ENDS OF SILL.
- PROVIDE 3/8" DRAIN TUBES W/ EXTENDED WICKS @ 16" O.C. IN MORTAR JOINT ABOVE THROUGH-WALL FLASHING.
- ANCHOR SILLS TO BRICK BELOW WITH 3/16" H.D.G. WIRE ANCHORS @ 16" O.C. SEAL PENETRATIONS IN THROUGH-WALL FLASHING.

SAWYER SHERWOOD & ASSOCIATE ARCHITECTURE
124 Market St. Wilmington, NC 28401
910 762-0892
s2a3.com

PARAMOUNT ENGINEERING
122 CINEMA DRIVE WILMINGTON, NC 28403
Office: (910) 791-6707
www.paramount-eng.com

WOODS ENGINEERING
Consulting Structural Engineers
254 North Front Street Suite 201
Wilmington, NC 28401
Phone: 910.343.8007
Fax: 910.343.8088
www.woodseng.com

CHEATHAM AND ASSOCIATES, P.A. CONSULTING ENGINEERS
3012 ENTERPRISE DRIVE
WILMINGTON, NORTH CAROLINA 28405
PHONE: (910) 452-4210
FAX: (910) 452-4211
OFFICE@CHEATHAMPA.COM
WWW.CHEATHAMPA.COM
NC LICENSE# C-1073
JOB # 18049
300 Pomona Drive
Greensboro, NC 27407
Phone: 336-855-0993
www.skaeng.com

SAWYER SHERWOOD & ASSOCIATE ARCHITECTURE
52349
NORTH CAROLINA
WILMINGTON, NC

JOHN R. SAWYER
REGISTERED ARCHITECT
2-28-2017
WILMINGTON, NC

Wrightsville Beach Elementary School Addition & Renovation
220 Coral Drive
Wrightsville Beach, NC

Construction Drawings
February 20, 2019

Revisions:
ADDENDUM #1: 3/19/19

Exterior Building Details

A5.2
20 of 29
© 2019 Sawyer Sherwood & Associate. All Rights Reserved