

COLUMN SCHEDULE		A2, 4, A6 A24, A27, 6	A3, A4, A5 B7, B8, B9 A25, A26, A27 B21, B22, B23	B2, 4, B6 B24, B27, 6 J2, J10 J20, J28	B2, B10, J1 S1, W6, W24 B20, B28 J29, S29	C2, E2, G2, C10 F10, G10, S2, S4 W7, W9, W11, J11 J13, J15, J17, J19, C20, D20, F20 H20, C28, F28, H28 W13, W19, W21, W14, 6 W15, 5, W23, S26, S28	D2, F2, H2, D10, F10, H10, I10, E20, G20, J20, D28, E28, G28, I28, I2, W17	K1, L1, N1, P1, R1, U6, V6, U24, V24, K29, L29, N29, P29, Q29, R29	M1, O1, Q1, M29, O29, PA29	S3, S25, S5, S27, J3, J5, J8, J22, J25, J27	T5, T25	W8, W10, W12, W16, W18, W20, W22, J12, J14, J16, J8, W14, C24	T6, T24	F6, F24	H6, I6, G24, I24	D4, D6, D8, D26, D24, E23, E24, E25	D5, F5, I5, H5, D25, G25, I25	O12, O14, O16, O18	S12, S14 S16, S18 O8, O22	N12, N14, N16, 4, N18, N20, N22, N10, N8	T8, T10, T12, T14, T16, T18, T20, T22	N6, O6, N24, O24	N5, O5, O25	L8, L22	O10, O20	S10, S20	J6, J24	M3, O3	M26, L3, Q3	M25, M5	M24																																																																																							
GRIDS		4	12	8	10	31	15	15	6	10	2	13	2	2	4	8	7	4	6	8	8	4	3	2	2	2	2	2	2	2	1																																																																																							
NUMBER OF COLUMNS		4	12	8	10	31	15	15	6	10	2	13	2	2	4	8	7	4	6	8	8	4	3	2	2	2	2	2	2	2	1																																																																																							
TOP PLATE		SEE COLUMN TOP PLATE DETAIL THIS SHEET																																																																																																																				
ROOF																																▶																																																																																						
ROOF (ATTIC) T.O.S. ELEV. 77.667' = +31'-8"	WARES SEE PLANS 15'-8" 16'-0" SEE FOUNDATION PLANS																																																																																																																					

GRADE BEAM SCHEDULE											
MARK	SIZE W x D	BOTTOM BARS		TOP BARS			STIRRUPS			SKETCH	REMARKS
			CONT.	NON CONT. END	CONT.		SIZE	TYPE	SPACING EA. END		
GB1	12x24	—	2 #7	2 #7 W/ACI STD. HOOK	2 #7	—	#3		1 @ 3" REM. @ 12" O.C.		ADD 3 #4 HORIZ. EACH FACE
GB3	12x32	—	2 #7	2 #7 W/ACI STD. HOOK	2 #7	—	#3		1 @ 3" REM. @ 12" O.C.		ADD 3 #4 HORIZ. EACH FACE
GB5	14x28	—	2 #7	2 #7 W/ACI STD. HOOK	2 #7	—	#3		1 @ 3" REM. @ 10" O.C.		ADD 3 #4 HORIZ. EACH FACE
GB51	14X30		2 #4				#4		#4 @ 5" O.C.		
GB6	14x20	—	2 #7 2 #4	DO	DO	—	DO	DO	DO		DO
GB7	14x36	—	3 #7	3 #7 W/ACI STD. HOOK	3 #7	—	DO	DO	DO		DO
GB71	14x32										
GB8	32x16	—	4 #6	4 #6 W/ACI STD. HOOK	4 #6	—	#3		1 @ 3" REM. @ 8" O.C.		—
GB9	14X24	—	2 #7	2 #7 W/ACI STD. HOOK	2 #7	—	#3		1 @ 3" REM. @ 12" O.C.		ADD 3 #4 HORIZ. EACH FACE
GB11	14x44	—	3 #7	3 #7 W/ACI STD. HOOK	3 #7	—	#3		1 @ 3" REM. @ 12" O.C.		DO
							#4		#4 @ 5" O.C.		

COLUMN SCHEDULE														
GRIDS		PA24, PA25, O5, O6	M27 PA27	S6, S24	UA16 UA18	X13.5, X16.5, Y14.5, Y15.6	BA27, BA26, BA25	REAR COMPRESSOR COLS.	C6	T21	S22 S8			
NUMBER OF COLUMNS		4	2	2	2	4	3	4	1	1	2			
TOP PLATE		SEE COLUMN TOP PLATE DETAIL THIS SHEET												
ROOF														
ROOF (ATTIC) T.O.S. 77.667' = +31'-8"														

PLAN - TYPICAL PEDESTALS

COLUMN TOP PLATE DETAIL

TYPICAL PILE CAP/ GRADE BEAM

TYPICAL BASE PLATE

COLUMN SPLICE DETAIL

ANCHOR BOLT DETAIL

GRADE BEAM @ CONSTRUCTION JOINT

TYPICAL COLUMN BASE PLATE PLAN

DOWEL EMBEDMENT LENGTH

P1 PILE CAP DETAIL

P2 PILE CAP DETAIL

P3 PILE CAP DETAIL

P4 PILE CAP DETAIL

P5 PILE CAP DETAIL

DOWEL EMBEDMENT LENGTH

TYPICAL COLUMN BASE PLATE PLAN

DOWEL EMBEDMENT LENGTH

P1 PILE CAP DETAIL

P2 PILE CAP DETAIL

P3 PILE CAP DETAIL

P4 PILE CAP DETAIL

P5 PILE CAP DETAIL

DOWEL EMBEDMENT LENGTH

TYPICAL COLUMN BASE PLATE PLAN

DOWEL EMBEDMENT LENGTH

JEFFERIES AND FARIS ASSOCIATES ARCHITECTS ■ PLANNERS

SEA TOWERS, SUITE 201
2002 EASTWOOD ROAD
WILMINGTON, N.C. 28403

TEL: 910.256.6633
FAX: 910.256.9088

SCIENCE BUILDING

UNIVERSITY OF NORTH CAROLINA AT WILMINGTON

CODE 49388 ITEM 301 ID#089280301A

SHEET TITLE:

COLUMN & GRADE BEAM SCHEDULES

DRAWING REVISIONS:

NO.	DATE	REMARKS

DATE: 5/16/94
PROJECT#: 9305

DESIGNED BY: JRA
DRAWN BY: MLH
CHECKED BY: JRA

SHEET NO.: S3