

SCIENCE CASEWORK KEYNOTES

REPRESENTED BY n
IES TO DRAWINGS A7.4.1

- | | |
|----|---------------------------------------|
| 1 | RUBBER BASE |
| 2 | KNEE SPACE |
| 3 | BACK PANEL |
| 4 | END PANEL |
| 5 | SLIDING GLASS DOORS |
| 6 | FILLER PANEL |
| 7 | LOCK |
| 8 | FUME HOOD SHROUD, EXTEND TO CEILING |
| 9 | UMBILICAL; SEE DETAIL n/A7.4.X |
| 10 | WALL SHELVING; SEE DETAIL n/A7.4.X |
| 11 | DRYING RACK; SEE DETAIL n/A7.4.X |
| 12 | ADJUSTABLE REAGENT SHELVING |
| 13 | REAGENT SHELVING; SEE DETAIL n/A7.4.X |
| 14 | ELECTRICAL RACEWAY |

GENERAL NOTES

- A. UNLESS INDICATED OTHERWISE, ALL COUNTERTOPS:
 * 3/4" AFF OR 3'-0" TO TOP OF RIM AT DROP-IN SINKS AND LAVATORIES WHERE OCCURS
 * 2'-9" DEEP
 * BLACK EPOXY RESIN, 1" THICK
 * BACKSLASHES: 4" HIGH AT PERIMETER AND AS NOTED
- B. UNLESS INDICATED OTHERWISE, ALL BASE CABINET(S):
 * 22" DEEP NOMINAL
 * TOE KICKS: 4" HIGH AND 3" DEEP
- C. UNLESS INDICATED OTHERWISE, ALL WALL CABINET(S):
 * 1'-1" DEEP NOMINAL
 * 2'-6" HIGH
 * TOP AT 7'-0" AFF
- D. PROVIDE SOLID BLOCKING FOR ALL WALL MOUNTED ITEMS
- E. INSTALL RUBBER BASE ON THE OPE OF ALL CASEWORK
- F. BUILT-IN EQUIPMENT: SIZE OPENING (HEIGHT, WIDTH AND DEPTH) AND ROUGH-IN REQUIREMENTS AS REQUIRED BASED ON APPROVED MANUFACTURER SUBMITTED
- G. ALL SHELVES: ADJUSTABLE UNLESS INDICATED OTHERWISE.
- H. PROVIDE FINISH END PANELS AT ALL EXPOSED CASEWORK ENDS.
- I. LOCKS: AS INDICATED.
- J. MOUNT ALL WHITE BOARDS AND CHALK BOARDS AT 4'-0" AFF, UNO
- K. TALL STORAGE CABINETS SHALL BE SECURED TO THE WALL TO PREVENT TIPPING
- L. ALL LAB EQUIPMENT IS OFCI
- M. CM SHALL COORDINATE WITH OWNER FOR LOCATIONS OF OFCI PROJECTORS
- N. REFER TO SINK SCHEDULE FOR IDENTIFICATION OF FIXTURES AND ACCESSORIES



2 ENLARGED LAB PLAN
A2.1.1 | A7.4.7 1/4" = 1'-0"

1 ENLARGED LAB PLAN
A2.1.1 | A7.4.7 1/4" = 1'-0"

Dobo Hall Renovation - Package A

SCO PROJECT NO. 18-19798-01A

UNC Wilmington

UNC Wilmington
4978 CAHILL DR, WILMINGTON, NC 28403

[illegible]

ENLARGED LAB PLANS AND ELEVATIONS

A7.4.7