

HINGE SIDE OF DOOR

8" TO CENTER

ROOM SIGN

5'-0" TO SIGN

6"

7'-0"

600

TEACHER WORKROOM

1/32" RAISED GRAPHICS, TYP.

GRADE II BRAILLE

1

TYPICAL SIGN MOUNTING HEIGHT

SCALE: 3' = 1' 0"

2

SIGN TYPE A

SCALE: 6' = 1' 0"

6"

7'-0"

WOMEN

1/32" RAISED GRAPHICS, TYP.

GRADE II BRAILLE

6"

7'-0"

MEN

1/32" RAISED GRAPHICS, TYP.

GRADE II BRAILLE

3

SIGN TYPE B

SCALE: 6' = 1' 0"

6"

7'-0"

WOMEN

1/32" RAISED GRAPHICS, TYP.

GRADE II BRAILLE

6"

7'-0"

MEN

1/32" RAISED GRAPHICS, TYP.

GRADE II BRAILLE

4

SIGN TYPE C

SCALE: 3' = 1' 0"

1

FINISH SCHEDULE																
#	ROOM NAME	FLOOR		BASE MAT	WALL								CEILING		COMMENTS	
		MAT	PAT		NORTH		EAST		SOUTH		WEST		MAT	FIN		
					MAT	FIN	MAT	FIN	MAT	FIN	MAT	FIN				
FIRST FLOOR																
1110	SHOOTING RANGE	CONC	PAINT LINES	R	PLY	PT	PLY	PT	PLY	PT	H.GWB	PT	EXPO	-		
1111	CORR	S. CONC		R	GWB	PT	GWB	PT	PLY	PT	H.GWB	PT	EXPO	-		
1112	MEN	S. CONC		R	GWB	EPT	GWB	EPT	GWB	EPT	GWB	EPT	GWB	PT		
1113	WOMEN	S. CONC		R	GWB	EPT	GWB	EPT	GWB	EPT	GWB	EPT	GWB	PT		
1114	STOR	CONC	PAINT LINES	R	GWB	PT	GWB	PT	PLY	PT	GWB	PT	EXPO	-		
1115	BDA CL	CONC		R	GWB	PT	GWB	PT	GWB	PT	GWB	PT	GWB	PT		

FINISH SCHEDULE LEGEND	
KEY NAME	DESCRIPTION
FLOOR	
CONC	CONCRETE, NOT SEALED. EPOXY PAINTED
S. CONC	CONCRETE WITH SEALER/HARDENER
BASE	
R	NOT APPLICABLE / EXISTING TO REMAIN
RESILIENT WALL BASE	
WALL	
EPT	NOT APPLICABLE / EXISTING TO REMAIN
EXPO	EPOXY PAINT
GWB	EXPOSED STRUCTURE
H. GWB	GYPSON WALL BOARD
PLY	HIGH IMPACT GYPSON WALL BOARD
PT	PLYWOOD
PAINT	PAINT
CEILING	
EXPO	NOT APPLICABLE / EXISTING TO REMAIN
GWB	EXPOSED STRUCTURE, FIRE PROTECTON, PLUMBING, MECHANICAL, ELECTRICAL, TECHNOLOGY
PT	GYPSON BOARD CEILING
PAINT	PAINT
ORIENTATION	
ON PLANS NORTH WALL IS UP, EAST IS RIGHT, SOUTH IS DOWN, WEST IS LEFT	
GENERAL NOTES	
1	WALLS AND CEILINGS MAY CONTAIN MORE THAN ONE MATERIAL OR FINISH AS INDICATED. COORDINATE WITH CONSTRUCTION TYPE AND FINISH SIMILAR TO ADJACENT MATERIALS
2	SEE REFLECTED CEILING PLANS & CEILING NOTES FOR CEILING HEIGHTS, MATERIAL EXTENTS, LOCATIONS AND HEIGHTS OF BULKHEADS, SOFFITS, ETC.
3	PLAN WALL TYPES TAKE PRECEDENCE OVER SCHEDULED WALL FINISH PROVIDE APPROPRIATE WALL FINISH TO CORRESPOND TO WALL TYPES.
4	MOLD AND MOISTURE RESISTANT GYPSON BOARD SHALL BE USED AT ALL KITCHEN AREAS, TOILET ROOMS AND CUSTODIAN SERVICE CLOSETS SCHEDULED TO HAVE GYPSON BOARD FINISHES
5	WALL AND CEILING FINISHES SHALL INCLUDE ALL PROJECTIONS, BEAM ENCLOSURES, RECESSES, BULKHEADS, MATERIAL CHANGES, OR OTHER ENCLOSURES. REFER TO REFLECTED CEILING PLANS
6	PROVIDE SEALANT/CAULK AT INTERSECTIONS OF DISSIMILAR MATERIALS AND AS RECOMMENDED BY MANUFACTURERS' GUIDELINES.
7	ALL NEW PARTITIONS AND WALLS SHALL BE PAINTED. PROVIDE PRICING TO REPAINT EXISTING WALLS

DOOR SCHEDULE														
MARK	DOOR				FRAME				DETAIL				FIRE RATING	
	SIZE	HT	THICK	MATL	TYPE	FIN	GLAZ	UNDER CUT	MATL	TYPE	FIN	HEAD	JAMB	SILL
	WIDTH													
ROTSC BUILDING														
1110/1	3'-0"	7'-0"	1 3/4"	HM	A	PT	-	0"	HM	HM-1	PT	1/A501	2/A501	5/A501
1111/1	3'-0"	7'-0"	1 3/4"	HM	A	PT	-	0"	HM	HM-1	PT	1/A501	2/A501	5/A501
1112/1	3'-0"	7'-0"	1 3/4"	SCWD	A	ST	-	0"	HM	HM-1	PT	3/A501	4/A501	-
1113/1	3'-0"	7'-0"	1 3/4"	SCWD	A	ST	-	0"	HM	HM-1	PT	3/A501	4/A501	-
1114/1	3'-0"	7'-0"	1 3/4"	STL	A	PT	-	0"	STL	ST-1	PT	3/A501	4/A501	-
1115/1	3'-0"	7'-0"	1 3/4"	HM	A	ST	-	0"	HM	HM-1	PT	3/A501	4/A501	-

DOOR SCHEDULE LEGEND	
ALUM. AL	NONE (IE., NOT APPLICABLE OR FACTORY FINISHED)
ALUM. AL	ALUMINUM
ALUM. AL	CURTAINWALL
ALUM. AL	FIRE PROTECTION/FIRE-RESISTANCE RATED GLAZING
ALUM. AL	HOLLOW METAL
ALUM. AL	INSULATED GLAZING
ALUM. AL	LAMINATED GLAZING
ALUM. AL	PAINTED
ALUM. AL	SOLID CORE WOOD DOOR
ALUM. AL	STOREFRONT
ALUM. AL	STAINLESS STEEL
ALUM. AL	STAINED
ALUM. AL	STEEL
ALUM. AL	TEMPERED GLAZING

WIDTH

HEIGHT

A

5/8" GWB

7/8" FURRING CHANNELS

SEALANT BOTH SIDES

HOLLOW METAL FRAME

CLOSURE TRIM

WIDTH

HEIGHT

AS SCHED

5/8" GWB

7/8" FURRING CHANNELS

SEALANT BOTH SIDES

HOLLOW METAL FRAME

CLOSURE TRIM

1

EXTERIOR DOOR HEAD @ METAL BUILDING

SCALE: 1 1/2" = 1'-0"

CLOSURE TRIM

GIRT

METAL PANEL

HOLLOW METAL FRAME

SEALANT BOTH SIDES

5/8" GWB

7/8" FURRING CHANNELS

3

TYPICAL INTERIOR DOOR HEAD

SCALE: 1 1/2" = 1'-0"

JAMB ANCHORS 3 PER JAMB, CLIP @ FLOOR

5/8"

2"

1/2" TYP

SCHED. PARTITION

HOLLOW METAL FRAME

SEALANT EA SIDE

5

THRESHOLD @ HM DOOR

SCALE: 3" = 1'-0"

CONTROL JOINT

CONC. SIDEWALK

HOLLOW METAL DOOR

SCHEDULED AUTOMATIC DOOR BOTTOM OR SWEEP

SCHEDULED ALUMINUM THRESHOLD

CONC. SLAB

BECKER MORGAN GROUP

ARCHITECTURE PLANNING

North Carolina
3333 Jaccle Drive, Suite 120
Wilmington, NC 28403
910.341.7600

Maryland
312 West Main St, Suite 300
Salisbury, MD 21801
410.546.9100

Delaware
309 S Governors Ave
Dover, DE 19904
302.734.7950

Rittenhouse Station
250 South Main Street, Suite 109
Newark, DE 19711
302.369.3700
www.beckermorgan.com

ISSUED FOR BIDDING

NOT FOR CONSTRUCTION

ISSUED: 04/16/20

WILMINGTON, NC

51922

BECKER MORGAN GROUP, INC.

Architectural Corporation

Wilmington, NC

PROJECT TITLE

WEST BRUNSWICK HIGH SCHOOL NEW ROTC BUILDING

550 WHITEVILLE ROAD N.W.
SHALLOTTE, NC 28470

DSP #: 100
DPI SCHOOL #: 1167

SCHEDULES AND DETAILS

1 05.04.20 ADDENDUM 1

04.16.20 ISSUED FOR BIDDING

03.20.20 100% REV. SUBMISSION

10.14.19 NCDPI DD SUBMISSION

07.30.19 SD PROGRESS DWGS

07.11.19 NCDPI SD SUBMISSION

Mark Date Description

PROJECT NO: 2019083.01

DATE: 04.16.2020

SCALE: As indicated

DRAWN BY: LJR PROJ MGR: RMC

A501

COPYRIGHT © 2020

C:\Users\lraak\Documents\201908301 WBHS ROTC_1raak.rvt

5/4/2020 11:52:54