

ACS Address Maps

NFS2-640

Panel DB Version:26.0

Project Details: (Name : CFCC Schwartz 12-11-18 , Version : 1.0)

Node Address: 0

Notifier VeriFire Tools 10.00 build 68

Thursday, December 13, 2018 10:21:33 AM

ACS Settings

Terminal Mode	ACS	UDACT
Disabled	Enabled	UDACTM

ACS Mapping

ACS Board	Configured Map
1	M
2	*
3	*
4	*
5	*
6	*
7	*
8	*
9	*
10	*
11	*
12	*
13	*
14	*
15	*
16	*
17	*
18	*
19	*
20	N
21	B
22	C
23	D
24	P
25	Q
26	R
27	S
28	T
29	U
30	V

ACS Address Maps

NFS2-640

Panel DB Version:26.0

Project Details: (Name : CFCC Schwartz 12-11-18 , Version : 1.0)

Node Address: 0

Notifier VeriFire Tools 10.00 build 68

Thursday, December 13, 2018 10:21:33 AM

ACS Board	Configured Map
31	W
32	*

Notifier VeriFire Tools 10.00 build 68 / Software Version Numbers for Node 0 / Date: 12/13/2018,Time: 10:

Project Details: (Name: CFCC Schwartz 12-11-18, Ver: 1.0)

NodeDetails: (Address: 0, Type: NFS2-640, DBVer: 26.0, TimeStamp: 12/12/2018 12:40:00 PM, Label: CFC

LOOP	Device ADDR	Type Code Label	FlashScan Type	Custom Label	Extended Label	Alarm. Ver. Part.	Cooperative Detector Mode
1	1	Smoke(Photo)	PHOTO	Corridor 100B		Disabled	None(N)
1	2	Smoke(Photo)	PHOTO	Corridor 100B		Disabled	None(N)
1	3	Smoke(Photo)	PHOTO	Corridor by Rm 106		Disabled	None(N)
1	4	Smoke(Photo)	PHOTO	Corridor by Rm 108		Disabled	None(N)
1	5	Smoke(Photo)	PHOTO	Mens Locker Room		Disabled	None(N)
1	6	Smoke(Photo)	PHOTO	Corridor by Rm 109		Disabled	None(N)
1	7	Smoke(Photo)	PHOTO	Womens Locker Room		Disabled	None(N)
1	8	Smoke(Beam)	PHOTO	Corridor by Rm 116		Disabled	N/A
1	9	Smoke(Photo)	PHOTO	Athletic Storage		Disabled	None(N)
1	10	Smoke(Photo)	PHOTO	Athletic Storage		Disabled	None(N)
1	11	Smoke(Photo)	PHOTO	Corridor by Womens L		Disabled	None(N)
1	12	Smoke(Photo)	PHOTO	Womens Locker Room		Disabled	None(N)
1	13	Smoke(Photo)	PHOTO	Team Instruction Rm		Disabled	None(N)
1	14	Smoke(Photo)	PHOTO	Team Instruction Rm		Disabled	None(N)
1	15	Smoke(Photo)	PHOTO	Corridor by Laundry		Disabled	None(N)
1	16	Smoke(Photo)	PHOTO	Trainers Room		Disabled	None(N)
1	17	Smoke(Photo)	PHOTO	Weight Room		Disabled	None(N)
1	18	Smoke(Photo)	PHOTO	Under North Bleacher		Disabled	None(N)
1	19	Smoke(Photo)	PHOTO	Under North Bleacher		Disabled	None(N)
1	20	Smoke(Photo)	PHOTO	Under North Bleacher		Disabled	None(N)
2	1	Smoke(Photo)	PHOTO	lobby 100		Disabled	None(N)
2	2	Smoke(Photo)	PHOTO	Lobby 100		Disabled	None(N)
2	3	Smoke(Photo)	PHOTO	lobby 100		Disabled	None(N)
2	4	Smoke(Photo)	PHOTO	lobby 100		Disabled	None(N)
2	5	Smoke(Photo)	PHOTO	electric 117		Disabled	None(N)
2	6	Smoke(Photo)	PHOTO	corridor 121		Disabled	None(N)
2	7	Smoke(Photo)	PHOTO	mezzanine		Disabled	None(N)
2	8	Smoke(Duct P)	PHOTO	mezzanine		Disabled	None(N)
2	9	Smoke(Photo)	PHOTO	Storage 108		Disabled	None(N)
2	12	Smoke(Photo)	PHOTO	Corridor 111		Disabled	None(N)
2	13	Heat	HEAT	Janitor Closet		Disabled	N/A
2	14	Smoke(Photo)	PHOTO	Com Room 112		Disabled	None(N)
2	16	Smoke(Photo)	PHOTO	Consession 101		Disabled	None(N)
2	18	Smoke(Photo)	PHOTO	Serv 102		Disabled	None(N)

2	19	Smoke(Duct P)	PHOTO	mech room		Disabled	None(N)
2	20	Smoke(Photo)	PHOTO	Mech room		Disabled	None(N)
2	21	Smoke(Duct P)	PHOTO	Mech room		Disabled	None(N)
2	22	Smoke(Duct P)	PHOTO	mezzanine		Disabled	None(N)
2	23	Smoke(Duct P)	PHOTO	mezzanine		Disabled	None(N)
2	24	Smoke(Duct P)	PHOTO	office 1100		Disabled	None(N)
2	30	Smoke(Beam)	BEAM	GYM		Disabled	N/A
2	31	Smoke(Beam)	BEAM	Gym		Disabled	N/A

C Schwartz Center)

Pre-Alarm	Fire Alarm	Silenceable	CBE 1	CBE 2	CBE 3	CBE 4	CBE 5	CBE 6	INT SND	Tone1	Tone1 Control	Tone2
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
N/A	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z3	Z0				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0	Z32				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0	Z32				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0	Z32				N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
Fixed	Fixed	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A

8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
8	8	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
N/A	5	N/A	Z0					N/A	Disabled	N/A	N/A	N/A
N/A	5	N/A	Z0					N/A	Disabled	N/A	N/A	N/A

All Modules

NFS2-640

Panel DB Version:26.0

Project Details: (Name : CFCC Schwartz 12-11-18 , Version : 1.0)

Node Address: 0

Notifier VeriFire Tools 10.00 build 68

Thursday, December 13, 2018 10:29:02 AM

LOOP	Device ADDR	Module Type	Type Code Label	FlashScan Type	Custom Label	Extended Label	Walk Test Part.	SW INH	Silenceable	CBE 1	CBE 2	CBE 3	CBE 4	CBE 5	Waterflow Delay
1	1	Monitor	Monitor	MANUAL STATION	Corridor by Locker R		N/A	N/A	N/A	Z0					N/A
1	2	Control	Relay	RELAY	Doas #1		Enabled	Disabled	Yes w/ Resound Fire	Z0					N/A
1	3	Control	Relay	RELAY	Doas #2		Enabled	Disabled	Yes w/ Resound Fire	Z0					N/A
1	4	Control	Relay	RELAY	PGAC #1		Enabled	Disabled	Yes w/ Resound Fire	Z0					N/A
1	5	Monitor	Monitor	MANUAL STATION	Southeast Exit		N/A	N/A	N/A	Z0					N/A
1	86	Control	Relay	RELAY	MODULE ADDR 1M086		Enabled	Disabled	Yes w/ Resound Fire	Z0					N/A
1	87	Monitor	Monitor	MINI/DUAL MONITOR	MODULE ADDR 1M087		N/A	N/A	N/A	Z8					N/A
1	88	Control	Relay	RELAY	MODULE ADDR 1M088		Enabled	Disabled	Yes w/ Resound Fire	Z0					N/A
1	89	Monitor	Monitor	MINI/DUAL MONITOR	MODULE ADDR 1M089		N/A	N/A	N/A	Z8					N/A
2	1	Monitor	Pull Station	MANUAL STATION	GYM		N/A	N/A	N/A	Z0					N/A
2	2	Monitor	Pull Station	MANUAL STATION	Gym corridor 122		N/A	N/A	N/A	Z0					N/A
2	3	Monitor	Pull Station	MANUAL STATION	Corridor 121		N/A	N/A	N/A	Z0					N/A
2	4	Control	Relay	RELAY	ahu shutdown mezzani		Disabled	Disabled	No	Z0					N/A
2	5	Monitor	Pull Station	MANUAL STATION	Corridor 111		N/A	N/A	N/A	Z0					N/A
2	6	Monitor	Pull Station	MANUAL STATION	Gym corridor 123		N/A	N/A	N/A	Z0					N/A

All Modules

NFS2-640

Panel DB Version:26.0

Project Details: (Name : CFCC Schwartz 12-11-18 , Version : 1.0)

Node Address: 0

Notifier VeriFire Tools 10.00 build 68

Thursday, December 13, 2018 10:29:02 AM

LOOP	Device ADDR	Module Type	Type Code Label	FlashScan Type	Custom Label	Extended Label	Walk Test Part.	SW INH	Silenceable	CBE 1	CBE 2	CBE 3	CBE 4	CBE 5	Waterflow Delay
2	9	Monitor	Pull Station	MANUAL STATION	Gym		N/A	N/A	N/A	Z0					N/A
2	11	Monitor	Pull Station	MANUAL STATION	Corridor 104		N/A	N/A	N/A	Z0					N/A
2	12	Monitor	Tamper	MONITOR	mech rm		N/A	N/A	N/A	Z98					N/A
2	13	Monitor	Waterflow	MONITOR	mech rm		N/A	N/A	N/A	Z0					0

Bell Circuits

NFS2-640

Panel DB Version:26.0

Project Details: (Name : CFCC Schwartz 12-11-18 , Version : 1.0)

Node Address: 0

Notifier VeriFire Tools 10.00 build 68

Thursday, December 13, 2018 10:31:40 AM

ID	Type Code Label	Custom Label	Extended Label	Walk Test Part.	SW INH	Silenceable	CBE1	CBE2	CBE3	CBE4	CBE5
1	Control	PANEL CIRCUIT NO. 1		Enabled	Disabled	Yes w/ Resound Fire	Z0				
2	Control	PANEL CIRCUIT NO. 2		Enabled	Disabled	Yes w/ Resound Fire	Z0				
3	Control	PANEL CIRCUIT NO. 3		Enabled	Disabled	Yes w/ Resound Fire	Z0				
4	Control	PANEL CIRCUIT NO. 4		Enabled	Disabled	Yes w/ Resound Fire	Z0				

General Settings

NFS2-640

Panel DB Version:26.0

Project Details: (Name : CFCC Schwartz 12-11-18 , Version : 1.0)

Node Address: 0

Notifier VeriFire Tools 10.00 build 68

Thursday, December 13, 2018 10:19:20 AM

Property	Value
Common Settings	
System Normal Message	CFCC Schwartz Center
Terminal Operation	Local Terminal
LED Blink	1
Time Format	USA
Local Control	Full Control
IP Accessibility	Disabled
Alarm Scrolling	Enabled
AC Delay	Enabled
Regional Setting	US
Timers	
Enable Auto Silence	Disabled
Auto Silence(mm:ss)	00:00
Silence Inhibit(mm:ss)	00:00
Alarm Verification(mm:ss)	00:00
NCM Thresholds	
NCM Thresholds	PortA:High, PortB:High
Network Style	
Network Style	Style 4
Relay Configuration	
Security Relay	Security
Supervisory Relay	Supervisory
Utilities	
DCC Participation	Disabled
Enable Power Supply Charger	Enabled
ACS Terminal Mode	7 Bits
Battery Size	>26Ahr
Printer Baud Rate	9600
Misc Settings	
Drill Mode	Standard
Mass Notification System	
Mass Notification Priority	Fire is a higher priority than Mass Notification
Waterflow Settings	
Silenceable Waterflow	NO
Sounderbase Power Monitor Settings	
Sounder Base Standby Power Monitoring	Disabled
PHOTO/CO Device Setting	
Photo Supervisory Latching	Disabled

Notifier, Inc.
<http://www.notifier.com>

General Settings

NFS2-640

Panel DB Version:26.0

Project Details: (Name : CFCC Schwartz 12-11-18 , Version : 1.0)

Node Address: 0

Notifier VeriFire Tools 10.00 build 68

Thursday, December 13, 2018 10:19:20 AM

Property	Value
CO Supervisory Latching	Disabled
NFPA Trouble Reminder	
Trouble Reminder Options	0
Trouble Reminder Duration	24 Hours
Wireless Settings	
Wireless Weak Link Trouble Reporting	Disabled
ACCLIMATE Device Settings	
Acclimate Photo Supervisory Latching	Disabled
Special Function - ZF0	
Pre-Signal Delay Time(mm:ss)	03:00
Enable Positive Alarm Sequence	Disabled
Function#5	
F#5-Enable	Disabled
F#5 - Time Control Functions	
F#5-On(hh:mm)	08:00
F#5-Off(hh:mm)	17:00
F#5-Sunday	Disabled
F#5-Monday	Disabled
F#5-Tuesday	Disabled
F#5-Wednesday	Disabled
F#5-Thursday	Disabled
F#5-Friday	Disabled
F#5-Saturday	Disabled
F#5-Holiday	Disabled
Function#6	
F#6-Enable	Disabled
F#6 - Time Control Functions	
F#6-On(hh:mm)	08:00
F#6-Off(hh:mm)	23:00
F#6-Sunday	Disabled
F#6-Monday	Disabled
F#6-Tuesday	Disabled
F#6-Wednesday	Disabled
F#6-Thursday	Disabled
F#6-Friday	Disabled
F#6-Saturday	Disabled
F#6-Holiday	Disabled
F#8 - Bell Code	

Notifier, Inc.
<http://www.notifier.com>

General Settings

NFS2-640

Panel DB Version:26.0

Project Details: (Name : CFCC Schwartz 12-11-18 , Version : 1.0)

Node Address: 0

Notifier VeriFire Tools 10.00 build 68

Thursday, December 13, 2018 10:19:20 AM

Property	Value
Bell Code	SYSTEM SENSOR STROBE
Function#9	
PreAlarm	Alert

Loops

NFS2-640

Panel DB Version:26.0

Project Details: (Name : CFCC Schwartz 12-11-18 , Version : 1.0)

Node Address: 0

Notifier VeriFire Tools 10.00 build 68

Thursday, December 13, 2018 10:23:44 AM

Loop ID	Installed	Wiring Style	Detector Mode	Module Mode
1	Enabled	Style 6	FlashScan	FlashScan
2	Enabled	Style 6	CLIP	CLIP