



STEWART

101 N TRYON ST  
SUITE 1400  
CHARLOTTE, NC 28202

T 704 334 7925  
FIRM LICENSE # C-1051  
S19191

## SAMPSON COUNTY 911 & ES FACILITIES

CLINTON,  
NORTH CAROLINA

### FOUNDATION PLAN - MAIN BUILDING

DATE: 12.04.2020  
PROJECT NO: 20003


REVISIONS  
NO: DATE: DESCRIPTION:

THIS DRAWING IS THE PROPERTY OF ADW ARCHITECTS, P.A. AND SHALL NOT BE REPRODUCED OR COPIED IN WHOLE OR PART. IT SHALL NOT BE USED ON ANY OTHER PROJECT OR GIVEN TO ANY OTHER COMPANY OR AGENCY WITHOUT THE CONSENT OF ADW ARCHITECTS, P.A.



SHEET NUMBER


S103



2  
S103

### ALTERNATE #4 FOUNDATION PLAN AT PRE-ENGINEERED METAL CANOPY

1/8" = 1'-0"  
FOUNDATION PLAN NOTES:  
1. FOOTING SIZE FOR PRE-ENGINEERED CANOPY ARE PRELIMINARY. CONTRACTOR TO SUBMIT FINAL REACTIONS FROM CANOPY MANUFACTURER TO ENGINEER OF RECORD FOR FINAL FOOTING DESIGN.



1  
S103

### FOUNDATION PLAN - MAIN BUILDING

1/8" = 1'-0"  
FOUNDATION PLAN NOTES:  
1. SEE S301 FOR TYPICAL SLAB CONSTRUCTION DETAILS.  
2. SEE S501 FOR STEEL COLUMN SCHEDULE.  
3. TOP OF FOOTING ELEVATION 1'-4" BELOW FINISHED FLOOR ELEVATION, UNO.  
4. CONTRACTOR TO COORDINATE ALL THICKENED SLAB LOCATIONS UNDER CMU PARTITIONS WITH ARCHITECTURAL DRAWINGS.  
5. DIMENSIONS ARE TO OUTSIDE FACE OF FRAMING, UNO. REFER TO ARCHITECTURAL DRAWINGS FOR ALL WALL LOCATIONS AND DIMENSIONS.  
6. SLOPE EXTERIOR SLABS, SIDEWALKS, AND PAVING AS INDICATED ON THE CIVIL DRAWINGS.  
7. ALL SLOPE LINES SHOWN IN VEHICLE BAYS MUST BE FORMED AND POURED AS SEPARATE SECTIONS. EACH SECTION MUST BE DOWELED TOGETHER WITH #4X24" SMOOTH DOWELS AT 24"OC.  
8. PROVIDE SLEEVE BELOW FOOTING FOR PLUMBING LINE. SEE PLUMBING DRAWINGS FOR INVERT ELEVATION.

LOAD BEARING WALL LEGEND:  
INDICATES NON-LOAD BEARING WALL.  
INDICATES LOAD BEARING MASONRY WALL.  
INDICATES LOAD BEARING MASONRY SHEAR WALL.

