

FILE NAME: I:\246-000 - APTIM\246-000 - Hadnot Point Facility Repair Comp. Lejeune\Drawings\PD-001 BUILDING 519 PLUMBING DEMOLITION GENERAL NOTES.dwg LAYOUT NAME: PD001 PLUMBING DEMOLITION GENERAL NOTES PLOTTED: Tuesday, June 23, 2020 - 5:14pm USER: Elnoyon

D

C

B

A

1

2

3

4

5

PLUMBING GENERAL NOTES

1. PLUMBING CONTRACTOR TO VERIFY LOCATION AND SIZE OF EXISTING WATER, WASTE & VENT PIPING PRIOR TO BEGINNING WORK.
2. PLUMBING CONTRACTOR TO VERIFY INVERT ELEVATIONS OF EXISTING WASTE LINES TO ENSURE SUFFICIENT DEPTH FOR EXTENDING LINE PRIOR TO SAW CUTTING AND INSTALLATION OF NEW FIXTURES.
3. PLUMBING CONTRACTOR TO REMOVE WALL, CEILING, AND FLOORS AS REQUIRED FOR DEMOLITION AND INSTALLATION OF PLUMBING FIXTURES AND ASSOCIATED PIPING.
4. PLUMBING CONTRACTOR TO REPAIR VOIDS IN FLOORS CAUSED BY SAW CUTTING AND FIXTURE OR PIPE REMOVAL TO MATCH ADJACENT SURFACES.
5. UNLESS SPECIFICALLY SHOWN ON THESE PLANS, NO STRUCTURAL MEMBER SHALL BE CUT, NEITHER DRILLED NOR NOTCHED WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THE STRUCTURAL ENGINEER.
6. VERIFY INVERT ELEVATIONS AND FINISHED FLOOR ELEVATION PRIOR TO COMMENCING WORK.
7. SAW CUTTING SHALL BE COORDINATED WITH ARCHITECT PRIOR TO COMMENCING ANY TYPE OF WORK. CONTRACTOR IS RESPONSIBLE TO FIELD VERIFY EXISTING CONDITIONS AND ANY ATTACHMENTS OR PENETRATIONS INTO POST TENSION SLAB ABOVE WILL BE X-RAYED PRIOR TO COMMENCING WORK.
8. WORK SHALL CONFORM TO THE INTERNATIONAL PLUMBING CODE.
9. LOCATION AND SIZE OF EXISTING PIPING TO REMAIN IS ESTIMATED. DURING BID, CONTRACTOR TO ASSUME THAT PIPING SHOWN MAY BE OFF LOCATION UP TO 5 FEET IN EITHER DIRECTION.



APTIM

REVISIONS	DATE	DESCRIPTION
90% DESIGN SUBMITTAL	MAR 10 2020	
PRE-FINAL SUBMITTAL	APR 07 2020	
FINAL SUBMITTAL	MAY 12 2020	
FINAL RE-SUBMITTAL	M	

